

## Junglecat Selection Data

Selection information requirements

<b>FLOW (GPM)</b>	<b>Suction (fill in)</b>	<b>Boost # (psi)</b>	<b>TDH (Feet)</b>	<b>bHP</b>	<b>Unit HP</b>	<b>Voltage (208-230/460)</b>	<b>Phase</b>
50		20	46	0.972	1.5		1 or 3
50		25	58	1.215	2		1 or 3
50		30	69	1.458	2		1 or 3
50		35	81	1.701	3		1 or 3
50		40	92	1.944	3		1 or 3
50		45	104	2.188	3		1 or 3
50		50	116	2.431	5		3
75		20	46	1.458	2		1 or 3
75		25	58	1.823	3		1 or 3
75		30	69	2.188	3		1 or 3
75		35	81	2.552	3		1 or 3
75		40	92	2.917	5		3
75		45	104	3.281	5		3
75		50	116	3.646	5		3
100		20	46	1.944	3		1 or 3
100		25	58	2.431	3		1 or 3
100		30	69	2.917	5		3
100		35	81	3.403	5		3
100		40	92	3.889	5		3
100		45	104	4.375	7.5		3
100		50	116	4.861	7.5		3
125		20	46	2.431	3		1 or 3
125		25	58	3.038	5		3
125		30	69	3.646	5		3
125		35	81	4.253	5		3
125		40	92	4.861	7.5		3
125		45	104	5.469	7.5		3
125		50	116	6.076	7.5		3
150		20	46	2.917	5		3
150		25	58	3.646	5		3
150		30	69	4.375	5		3
150		35	81	5.104	7.5		3
150		40	92	5.833	7.5		3
150		45	104	6.563	7.5		3
150		50	116	7.292	10		3
175		20	46	3.403	5		3
175		25	58	4.253	5		3
175		30	69	5.104	7.5		3
175		35	81	5.955	7.5		3
175		40	92	6.806	7.5		3
175		45	104	7.656	10		3
175		50	116	8.507	10		3

200	20	46	3.889	5	3
200	25	58	4.861	7.5	3
200	30	69	5.833	7.5	3
200	35	81	6.806	10	3
200	40	92	7.778	10	3
200	45	104	8.75	10	3
200	50	116	9.722	15	3
225	20	46	4.375	5	3
225	25	58	5.469	7.5	3
225	30	69	6.563	7.5	3
225	35	81	7.656	10	3
225	40	92	8.75	10	3
225	45	104	9.844	15	3
225	50	116	10.94	15	3
250	20	46	4.861	7.5	3
250	25	58	6.076	7.5	3
250	30	69	7.292	10	3
250	35	81	8.507	10	3
250	40	92	9.722	15	3
250	45	104	10.94	15	3
250	50	116	12.15	15	3
275	20	46	5.347	7.5	3
275	25	58	6.684	7.5	3
275	30	69	8.021	10	3
275	35	81	9.358	15	3
275	40	92	10.69	15	3
275	45	104	12.03	15	3
275	50	116	13.37	15	3
300	20	46	5.833	7.5	3
300	25	58	7.292	10	3
300	30	69	8.75	10	3
300	35	81	10.21	15	3
300	40	92	11.67	15	3
300	45	104	13.13	15	3
300	50	116	14.58	20	3
325	20	46	6.319	7.5	3
325	25	58	7.899	10	3
325	30	69	9.479	15	3
325	35	81	11.06	15	3
325	40	92	12.64	15	3
325	45	104	14.22	20	3
325	50	116	15.8	20	3
350	20	46	6.806	7.5	3
350	25	58	8.507	10	3
350	30	69	10.21	15	3
350	35	81	11.91	15	3
350	40	92	13.61	15	3
350	45	104	15.31	20	3
350	50	116	17.01	20	3

375	20	46	7.292	10	3
375	25	58	9.115	10	3
375	30	69	10.94	15	3
375	35	81	12.76	15	3
375	40	92	14.58	20	3
375	45	104	16.41	20	3
375	50	116	18.23	20	3
400	20	46	7.778	10	3
400	25	58	9.722	15	3
400	30	69	11.67	15	3
400	35	81	13.61	15	3
400	40	92	15.56	20	3
400	45	104	17.5	20	3
400	50	116	19.44	25	3
425	20	46	8.264	10	3
425	25	58	10.33	15	3
425	30	69	12.4	15	3
425	35	81	14.46	20	3
425	40	92	16.53	20	3
425	45	104	18.59	25	3
425	50	116	20.66	25	3
450	20	46	8.75	10	3
450	25	58	10.94	15	3
450	30	69	13.13	15	3
450	35	81	15.31	20	3
450	40	92	17.5	20	3
450	45	104	19.69	25	3
450	50	116	21.88	25	3
500	20	46	9.722	15	3
500	25	58	12.15	15	3
500	30	69	14.58	20	3
500	35	81	17.01	20	3
500	40	92	19.44	25	3
500	45	104	21.88	25	3
500	50	116	24.31	30	3
550	20	46	10.69	15	3
550	25	58	13.37	15	3
550	30	69	16.04	20	3
550	35	81	18.72	25	3
550	40	92	21.39	25	3
550	45	104	24.06	30	3
550	50	116	26.74	30	3
600	20	46	11.67	15	3
600	25	58	14.58	20	3
600	30	69	17.5	20	3
600	35	81	20.42	25	3
600	40	92	23.33	30	3
600	45	104	26.25	30	3
600	50	116	29.17	40	3